

# **Pendle Junior**

A box packed toilet cubicle system suited for Junior school washrooms. Comprising of Box A (Door Pack) and Box B (Partition Pack), containing all necessary panels and fittings.

Usually dispatched within 48 hours of order

Box packed for ease of transport and handling

Adjustable on-site

Durable panels with tough PVC edging

Two door colour options - Blueberry or Dragon Fruit (above)







Indicator Face











Full-Height Hinge



Curved Door







Adjustments can be made to cubicles to suit site requirements by reducing doors and partitions on-site. The cut edges are protected by full-height door and wall channels.

## Every DOOR requires a BOX A Every PARTITION requires a BOX B

## Pendle Junior



#### Manufacturer

Cubicle Centre, Unit 33 Caldervale Business Park, Ravensthorpe, West Yorkshire, WF13 3JL Tel: (01924) 457600 Fax: (01924) 437600 Email: sales@washroomcubicles.co.uk

#### Specification

Overall cubicle height: 1950mm including a 150mm floor clearance

**Doors:** 18mm thick, Melamine Faced Chipboard (MFC) - hinges through-bolted to front panels for added strength

Partitions: 18mm thick, Melamine Faced Chipboard (MFC). Supplied as two 900 x 1800 panels - maximum depth of 1800mm can be achieved

Edging: 2.0mm solid PVC

Fittings: PVC fixing channels and 'H' jointing strip for partitions. SAA fittings - head-rail, channel hinge assembly, indicator bolt with keep and outward opening adaptor and partition support leg

### **Colour options**

White (Box B - Partition Pack) with a choice of Blueberry or Dragon Fruit (Box A - Door pack)

### **Standard Size Guide**

1950mm
1800mm
1800mm (max)
950mm (max)
900mm (max)
150mm
300mm
150mm

#### Disclaimer

© 2013 Cubicle Centre

Whilst every care has been taken to ensure the information included in this brochure was correct at the time of printing, we reserve the right to change specifications at any time without prior notice. Where specification is critical, please contact us to ensure you have the latest available information. The colours in this brochure are within the constraints of the printing process and are NOT to be used for matching purposes.